Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	: Led Labs Lighting
--------------------------------	---------------------

Supplier's address: LED Labs Sp. z o.o., ul. Zakopiańska 2C, 30-418 Kraków Polska

Model identifier: WI-3Y12V12WRGBCCT20

_	•			
Tyna	Λt	light	source	•
IVDE	VI.	HEILL	3 Uulle	•

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	wire		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	Nie
Colour-tuneable light source:	Tak	Envelope:	-
High luminance light source:	Nie		
Anti-glare shield:	Nie	Dimmable:	Only with specific dimmers

Product parameters

. roduct parameters				
Parameter		Value	Parameter	Value
		General product p	arameters:	
J	mption in on- 100 h), rounded est integer	1	Energy efficiency class	F
indicating if it r in a sphere (3	us flux (φuse), refers to the flux 60º), in a wide in a narrow cone	100 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	30006500
On-mode properties of the contract of the cont	oower (P _{on}),	1,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	-
for CLS, expre	ndby power (P _{net}) ssed in W and second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer	Height	500	Spectral power	See image
dimensions	Width	12	distribution in the	in last page
1			_	Strong 1 / 2

without separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	Depth	3	range 250 nm to 800 nm, at full-load	
Claim of equival	ent power ^(a)	-	If yes, equivalent power (W)	-
			Chromaticity	0,314
			coordinates (x and y)	0,322
Parameters for LED and OLED light sources:				
R9 colour rende	ring index value	10	Survival factor	1,00
the lumen main	tenance factor	0,96		

(a)_{'-'}: not applicable;

(b)_{'-'} : not applicable;

